

## Tubi Tondi

**304/304L 1.4301/1.4307 316/316L 1.4401/1.4404**

- Tubi a sezione tonda elettrouniti saldati (EN 10217-7)
- Lunghezza commerciale mm 6000 +/- 30 mm. Peso Teorico kg/mt
- Tabella da 6 mm a 32 mm

Diametro		Sp = Spessori mm (kg/mt)				
mm	Pollici	1,00	1,20	1,5	2	3
6,0		0,13				
8,0		0,18		0,24		
10,0	1/8"	0,23		0,32		
12,0		0,28		0,39	0,50	
13,0	1/4"	0,30		0,43	0,55	
14,0		0,33		0,47	0,60	
15,0		0,35	0,41	0,51	0,65	
16,0		0,38	0,44	0,54	0,70	
17,2	3/8"	0,41	0,48	0,59	0,76	1,07
18,0		0,43	0,50	0,62	0,80	
19,1		0,45	0,54	0,66	0,85	
20,0		0,48	0,56	0,69	0,90	1,28
21,3	1/2"	0,51	0,60	0,74	0,97	1,37
22,0		0,53	0,62	0,77	1,00	1,43
23,0		0,55	0,66	0,81	1,05	1,50
25,0		0,60	0,72	0,88	1,15	1,65
25,4		0,61	0,73	0,90	1,17	1,68
26,9	3/4"	0,65	0,77	0,95	1,25	1,80
28,0		0,68	0,81	1,00	1,30	1,88
30,0		0,73	0,87	1,07	1,40	2,03
32,0		0,78	0,93	1,15	1,50	2,18

**Tabella da 33,7 mm a 45 mm**

Diametro		Sp = Spessori mm (kg/mt)				
mm	Pollici	1,00	1,20	1,5	2	3
33,7	1"	0,82	0,98	1,21	1,59	2,31
34,0		0,83	0,99	1,22	1,60	2,33
35,0		0,85	1,02	1,26	1,65	2,40
38,1		0,93	1,11	1,37	1,81	2,64
40,0		0,98	1,17	1,45	1,90	2,78
42,4	1 1/4"	1,04	1,24	1,54	2,02	2,96
43,0			1,26	1,56	2,05	3,00
44,5			1,30	1,62	2,13	3,12
45,0			1,32	1,63	2,15	3,16

**Tabella da 48,3 mm a 84 mm**

Dimensioni		Sp = Spessori mm (kg/mt)					
mm	Pollici	1,20	1,50	2	3	4	5
48,3	1 1/2"	1,42	1,76	2,32	3,40	4,44	
50,0		1,47	1,82	2,40	3,53	4,61	
50,8		1,49	1,85	2,44	3,59	4,69	
52,0		1,53	1,90	2,50	3,68	4,81	
54,0		1,59	1,97	2,60	3,83	5,01	
57,0		1,68	2,08	2,75	4,06	5,31	
60,3	2"	1,78	2,21	2,92	4,30	5,64	
63,5			2,33	3,08	4,54	5,96	
70,0			2,57	3,41	5,03	6,61	
76,1	2 1/2"		2,80	3,71	5,49	7,22	
80,0			2,95	3,91	5,78	7,61	
84,0			3,10	4,11	6,08	8,01	

**Tabella da 85 mm a 608 mm**

Diametro		Sp = Spessori mm (kg/mt)					
mm	Pollici	1,20	1,50	2	3	4	5
85,0			3,14	4,16	6,16	8,11	
88,9	3"		3,28	4,35	6,45	8,50	
101,6	3 1/2"		3,76	4,99	7,41	9,78	
104,0			3,85	5,11	7,59	10,02	
108,0			4,00	5,31	7,89	10,42	
114,3	4"		4,24	5,62	8,36	11,05	13,68
129,0			4,79	6,36	9,47	12,52	15,52
139,7	5"		5,19	6,90	10,27	13,59	16,86
154,0			5,73	7,61	11,34	15,02	18,65
168,3	6"		6,27	8,33	12,42	16,46	20,45
204,0				10,12	15,10	20,03	24,91
219,1	8"			10,87	16,23	21,54	26,81
254,0				12,62	18,86	25,04	31,17
273,0	10"			13,57	20,28	26,94	33,55
304,0				15,12			
306,0					22,76	30,25	
323,9	12"			16,12	24,11	32,04	39,93
355,6	14"				26,49	35,22	43,90
406,4	16"				30,30	40,30	50,26
457,0	18"				34,10	45,37	56,59
506,0					37,79		
508,0	20"				37,94	50,48	62,98
606,0					45,30		
608,0						60,50	